




## PARA FLAC

pendant, LED, 4000K, black, 100W, IP65

The special lighting attributes make the PARA FLAC LED pendant light ideal for a technical, industrial setting. It is protected from external influences thanks to protection class IP 65. The pendant light has a high power consumption of 100 watts and is therefore perfect for hall lighting. In addition, the light made of aluminium and polycarbonate (PC) convinces with its high quality. Experience light with SLV – your reliable partner for all kinds of indoor lights for 40 years.



## TECHNICAL DATA

Item no.	1000827
Number of different light outlets	1
Rotating or tilting	tiltable
IP Code	IP 65
Assembly	Surface
Assembly details	Ceiling
Primary nominal voltage	220-240V ~50/60Hz
Secondary power / voltage	1600 mA
Safety class	I
Wattage	100 W
Minimum ambient temperature	-20 °C
Maximum ambient temperature	40 °C
Level of inrush current	60 A
Stroboscopic effect (SVM)	0.01
Lumen	12800 lm
Colour temperature	4000 Kelvin
Beam angle	90 °
Color	black
CRI	80
UGR ≤	28
LXXBXX data	L70B50
Service life	50000 h

## Light Source

916378	
--------	---

## Accessories

1001692	PARA FLAC , reflector cover
1000918	REFLECTOR , for PARA FLAC LED pendant
228730	CONNECTION BOX , 3-pin, IP68
1001691	PARA FLAC , reflector

Light distribution	rotational symmetric
Light outlet	direct
Risk Group	1
Height	27.5 cm
Diameter	32 cm
Net weight	4.288 kg
Gross weight	5.942 kg