




ASTINA QPAR51

Indoor pendant, grey

The ASTINA high-voltage pendant is made from aluminium and is suitable for the use of GU10 halogen and for retrofitting LED lamps. The housing of the luminaire is equipped with a glass cover, which provides colour differentiation by means of indirect illumination. The ASTINA PD is supplied ready for direct connection to a 230V mains power supply.



Tekniske data

Item no.	1002938
Sokkel	GU10
Antal fatninger	1
IP klasse	IP20
Monterings detaljer	Ceiling with Acc.
Primær spænding	220-240V ~50/60Hz
IP Tæthedsgard	I
Watt	10 W
Farve	gray
Højde	20 cm
Diameter	7 cm
Pendellængde	250 cm
Nettovægt	0.643 kg
Bruttovægt	0.815 kg

Anbefalet lyskilde

1005273	QPAR51 GU10 , LED light, 6W 2200 2700K CRI90 36°
1005076	LED lightbulb QPAR51 , GU10, 2700K, white
1005082	LED lightbulb QPAR51 , GU10, 4000K, white

Tilbehør

145990	PENDANT ADAPTER , for 240V 3-phase track, black, incl. installation accessories
143120	PENDANT ADAPTER , for 1-phase high-voltage surface-mounted track, black, incl. strain relief and threaded piece
1001542	PENDANT ADAPTER , for 240V 3-circuit track, traffic white, incl. installation accessories
145994	PENDANT ADAPTER , for 240V 3-phase track, grey, incl. installation accessories
132615	CEILING PLATE FITU , triple ceiling plate, round, chrome, incl. strain-relief
1001818	FITU triple ceiling plate , long, black
132600	CEILING PLATE FITU , single ceiling plate, round, black, incl. strain-relief
132610	CEILING PLATE FITU , triple ceiling plate, round, black, incl. strain-relief
1001819	FITU triple ceiling plate , long, white
132601	CEILING PLATE FITU , single ceiling plate, round, white, incl. strain-relief
132605	CEILING PLATE FITU , single ceiling plate, round, chrome, incl. strain-relief

143121	PENDANT ADAPTER , for 1-phase high-voltage surface-mounted track, white, incl. strain relief and threaded piece
132611	CEILING PLATE FITU , triple ceiling plate, round, white, incl. strain-relief
143124	PENDANT ADAPTER , for 1-phase high-voltage surface-mounted track, silver-grey, incl. strain re- lief and threaded piece