




PANTILO 20

Indoor pendant E27 copper

The cylindrical pendant PANTILO 20 has a maximum pendant length of 250 centimetres. PANTILO 20 has a cylindrical shade made from chrome-plated glass which can be combined into a "lighting group" by means of individual configuration.



Tekniske data

Item no.	1003005
Sokkel	E27
Antal fatninger	1
IP klasse	IP20
Monterings detaljer	Ceiling with Acc.
Primær spænding	200-240V ~50/60Hz
IP Tæthedsgard	II
Watt	15 W
Farve	copper
Højde	21.3 cm
Diameter	20 cm
Nettovægt	1.044 kg
Bruttovægt	1.639 kg
BIG WHITE side	281

Anbefalet lyskilde

1005305	A60 E27 Mirrorhead , chrome LED light, 7.5W 2700K CRI90 180°
1005265	ST64 E27 , gold LED ligh- t, 7.5W 2500K CRI90 320°
1005303	A60 E27 , transparent LED light, 7.5W 2700K CRI90 320°
1005286	QT14 G9 , White LED light, 3.6W 3000K CRI90 300°

Tilbehør

145990	PENDANT ADAPTER , for 240V 3-phase track, black, incl. installation ac- cessories
143120	PENDANT ADAPTER , for 1-phase high-voltage surface-mounted track, black, incl. strain relief and threaded piece
1002163	FITU single canopy , soft gold
1001542	PENDANT ADAPTER , for 240V 3-circuit track, traffic white, incl. installa- tion accessories
145994	PENDANT ADAPTER , for 240V 3-phase track, grey, incl. installation ac- cessories
132600	CEILING PLATE FITU , single ceiling plate, roun- d, black, incl. strain-relief
132601	CEILING PLATE FITU , single ceiling plate, roun- d, white, incl. strain-relief
132605	CEILING PLATE FITU , single ceiling plate, roun- d, chrome, incl. strain-re- lief
143121	PENDANT ADAPTER , for 1-phase high-voltage surface-mounted track, white, incl. strain relief and threaded piece

143124	PENDANT ADAPTER , for 1-phase high-voltage surface-mounted track, silver-grey, incl. strain re- lief and threaded piece
--------	---