




PANTILO 28

Indoor pendant E27 chrome

The PANTILO 28 pendant has a cylindrical design and a maximum pendant length of 250 centimetres. With its cylindrical shade made from chrome-plated high-quality glass, the PANTILO 28 has a beautiful appearance - particularly if it is combined into a "lighting group" by means of individual configuration.



Tekniske data

Item no.	1003006
Sokkel	E27
Antal fatninger	1
IP klasse	IP20
Monterings detaljer	Ceiling with Acc.
Primær spænding	200-240V ~50/60Hz
IP Tæthedegrad	II
Watt	15 W
Farve	chrome
Højde	17.2 cm
Diameter	28 cm
Nettovægt	1.313 kg
Bruttovægt	2.294 kg
BIG WHITE side	281

Anbefalet lyskilde

1005305	A60 E27 Mirrorhead , chrome LED light, 7.5W 2700K CRI90 180°
1005265	ST64 E27 , gold LED light, 7.5W 2500K CRI90 320°
1005303	A60 E27 , transparent LED light, 7.5W 2700K CRI90 320°
1005286	QT14 G9 , White LED light, 3.6W 3000K CRI90 300°

Tilbehør

145990	PENDANT ADAPTER , for 240V 3-phase track, black, incl. installation accessories
143120	PENDANT ADAPTER , for 1-phase high-voltage surface-mounted track, black, incl. strain relief and threaded piece
1002163	FITU single canopy , soft gold
1001542	PENDANT ADAPTER , for 240V 3-circuit track, traffic white, incl. installation accessories
145994	PENDANT ADAPTER , for 240V 3-phase track, grey, incl. installation accessories
132600	CEILING PLATE FITU , single ceiling plate, round, black, incl. strain-relief
132601	CEILING PLATE FITU , single ceiling plate, round, white, incl. strain-relief
132605	CEILING PLATE FITU , single ceiling plate, round, chrome, incl. strain-relief
143121	PENDANT ADAPTER , for 1-phase high-voltage surface-mounted track, white, incl. strain relief and threaded piece

143124	PENDANT ADAPTER , for 1-phase high-voltage surface-mounted track, silver-grey, incl. strain re- lief and threaded piece
--------	---