


PARA CONE GL GU10

white / transparent pendant light

The conically shaped reflector of the PARA CONE GL GU-10 provides a particularly warm lighting effect. The family can be individually combined into a cloud of light with a wide range of colours and sizes. And last but not least, the housing made of aluminium and glass impresses with its robust quality. When will you test out the benefits of SLV's impressive indoor lights?



Tekniske data

Item no.	1006160
Sokkel	GU10
Antal fatninger	1
IP klasse	IP20
Montering	Surface
Monterings detaljer	Ceiling with Acc.
Primær spænding	220-240V ~50/60Hz
IP Tæthedegrad	II
Watt	25 W
Min omgivelsestemperatur	-20 °C
Max omgivelsestemperatur	40 °C
Farve	glossy white
Højde	15 cm
Diameter	13.5 cm
Nettovægt	0.473 kg
Bruttovægt	0.808 kg
BIG WHITE side	309

Anbefalet lyskilde

1006321	LED lamp , T32, GU10, 2600K, dimmable
1005079	LED lightbulb QPAR51 , GU10, 3000K, white
1005076	LED lightbulb QPAR51 , GU10, 2700K, white
1005082	LED lightbulb QPAR51 , GU10, 4000K, white

Tilbehør

1004675	FITU , built in rose white
145990	PENDANT ADAPTER , for 240V 3-phase track, black, incl. installation accessories
143120	PENDANT ADAPTER , for 1-phase high-voltage surface-mounted track, black, incl. strain relief and threaded piece
1004746	FITU , ceiling rose chrome
1004745	FITU , ceiling rose white
1001542	PENDANT ADAPTER , for 240V 3-circuit track, traffic white, incl. installation accessories
145994	PENDANT ADAPTER , for 240V 3-phase track, grey, incl. installation accessories
132600	CEILING PLATE FITU , single ceiling plate, round, black, incl. strain-relief
1004744	FITU , ceiling rose black
132601	CEILING PLATE FITU , single ceiling plate, round, white, incl. strain-relief
132605	CEILING PLATE FITU , single ceiling plate, round, chrome, incl. strain-relief

143121	PENDANT ADAPTER , for 1-phase high-voltage surface-mounted track, white, incl. strain relief and threaded piece
1004674	FITU , built in rose black
143124	PENDANT ADAPTER , for 1-phase high-voltage surface-mounted track, silver-grey, incl. strain re- lief and threaded piece