




PANTILO 20 PD

E27 pendant light, white/chrome

The PANTILO 20 PD pendant light shines with a unique design that is characterised by the glass shade. The chrome version creates particularly atmospheric lighting. The 2.5 m cable can be shortened and is compatible with almost all installation heights. A pendant highlight for the hotel trade, catering industry or private living spaces, whose impact can be intensified by installation as part of a lighting group.



TECHNICAL DATA

Item no.	1006396
Socket	E27
Number of sockets	1
IP Code	IP 20
Assembly details	Ceiling with Acc.
Primary nominal voltage	200-240V ~50/60Hz
Safety class	II
Wattage	15 W
Color	white
Height	21.3 cm
Diameter	20 cm
Net weight	1 kg
Gross weight	1.07 kg
BIG WHITE Page	281

Recommended lamp

1005265	ST64 E27 , gold LED light, 7.5W 2500K CRI90 320°
1005318	A60 E27 RGBW smart , white / milky LED light, 9W CRI90 230°
1005301	A60 E27 , white LED light, 9W 2700K CRI90 220°
1005304	A60 E27 , Frosted LED light, 7.5W 2700K CRI90 320°

Accessories

145990	PENDANT ADAPTER , for 240V 3-phase track, black, incl. installation accessories
143120	PENDANT ADAPTER , for 1-phase high-voltage surface-mounted track, black, incl. strain relief and threaded piece
1004746	FITU , ceiling rose chrome
1002163	FITU single canopy , soft gold
1004745	FITU , ceiling rose white
1001542	PENDANT ADAPTER , for 240V 3-circuit track, traffic white, incl. installation accessories
145994	PENDANT ADAPTER , for 240V 3-phase track, grey, incl. installation accessories
132600	CEILING PLATE FITU , single ceiling plate, round, black, incl. strain-relief
1004744	FITU , ceiling rose black
132601	CEILING PLATE FITU , single ceiling plate, round, white, incl. strain-relief

132605	CEILING PLATE FITU , single ceiling plate, round, chrome, incl. strain-relief
143121	PENDANT ADAPTER , for 1-phase high-voltage surface-mounted track, white, incl. strain relief and threaded piece
143124	PENDANT ADAPTER , for 1-phase high-voltage surface-mounted track, silver-grey, incl. strain relief and threaded piece