





PANTILO CONVEX 29

pendant light, 250cm, E27, max. 40W, copper

PANTILO CONVEX is the name of the SLV pendant light with a unique design, whose outwardly curved glass shade is now also available in the colours copper, gold and white. The various cable lengths (150 cm / 250 cm), which can also be shortened, cover all installation heights. A suspended highlight in glass for hotels, restaurants or private living spaces, whose eye-catching effect can be further enhanced by installing several lights as a cloud.



Tekniske data

Item no.	1007879
Sokkel	E27
IP klasse	IP20
Montering	Surface
Monterings detaljer	Ceiling with Acc.
Primær spænding	220-240V ~50/60Hz
IP Tæthedegrad	II
Watt	40 W
Omgivelsestemperatur	25 °C
Farve	shiny chrome
Højde	25 cm
Diameter	29 cm
Nettovægt	1.451 kg
Bruttovægt	3.36 kg

Anbefalet lyskilde

1008162	LED High Brightness Tube slim , LED bulb, clear, E27, PHASE, 11W, 2700K
1008152	LED Tube Soft Spiral , LED bulb, E27, PHASE, 6W, 2200K
1005305	A60 E27 Mirrorhead , chrome LED light, 7.5W 2700K CRI90 180°
1008156	LED Rusika Soft Cage , LED bulb, E27, PHASE, 6W, 2200K

Tilbehør

145990	PENDANT ADAPTER , for 240V 3-phase track, black, incl. installation accessories
143120	PENDANT ADAPTER , for 1-phase high-voltage surface-mounted track, black, incl. strain relief and threaded piece
1002163	FITU single canopy , soft gold
1001542	PENDANT ADAPTER , for 240V 3-circuit track, traffic white, incl. installation accessories
145994	PENDANT ADAPTER , for 240V 3-phase track, grey, incl. installation accessories
132600	CEILING PLATE FITU , single ceiling plate, round, black, incl. strain-relief
132601	CEILING PLATE FITU , single ceiling plate, round, white, incl. strain-relief
132605	CEILING PLATE FITU , single ceiling plate, round, chrome, incl. strain-relief

143121	PENDANT ADAPTER , for 1-phase high-voltage surface-mounted track, white, incl. strain relief and threaded piece
143124	PENDANT ADAPTER , for 1-phase high-voltage surface-mounted track, silver-grey, incl. strain re- lief and threaded piece